

# Package: audrex (via r-universe)

February 22, 2025

**Type** Package

**Title** Automatic Dynamic Regression using Extreme Gradient Boosting

**Version** 2.0.1

**Author** Giancarlo Vercellino

**Maintainer** Giancarlo Vercellino <giancarlo.vercellino@gmail.com>

**Description** Dynamic regression for time series using Extreme Gradient Boosting with hyper-parameter tuning via Bayesian Optimization or Random Search.

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.1

**Depends** R (>= 4.1)

**Imports** rBayesianOptimization (>= 1.2.0), xgboost (>= 1.4.1.1), purrr (>= 0.3.4), ggplot2 (>= 3.3.5), readr (>= 2.1.2), stringr (>= 1.4.0), lubridate (>= 1.7.10), narray (>= 0.4.1.1), fANCOVA (>= 0.6-1), imputeTS (>= 3.2), scales (>= 1.1.1), tictoc (>= 1.0.1), modeest (>= 2.4.0), moments (>= 0.14), Metrics (>= 0.1.4), parallel (>= 4.1.1), utils (>= 4.1.1), stats (>= 4.1.1)

**URL** [https://rpubs.com/giancarlo\\_vercellino/audrex](https://rpubs.com/giancarlo_vercellino/audrex)

**NeedsCompilation** no

**Date/Publication** 2022-03-23 10:10:14 UTC

**Config/pak/sysreqs** make libicu-dev libjpeg-dev libpng-dev libxml2-dev libssl-dev libx11-dev

**Repository** <https://pigian.r-universe.dev>

**RemoteUrl** <https://github.com/cran/audrex>

**RemoteRef** HEAD

**RemoteSha** 7ae3287a012d4183bd0406d60097a8ccfc698899

## Contents

audrex . . . . .	2
bitcoin_gold_oil . . . . .	5
climate_anomalies . . . . .	6
covid_in_europe . . . . .	6
engine . . . . .	7

<b>Index</b>	<b>9</b>
--------------	----------

---

audrex	<i>audrex: Automatic Dynamic Regression using Extreme Gradient Boosting</i>
--------	---

---

## Description

Dynamic regression for time series using Extreme Gradient Boosting with hyper-parameter tuning via Bayesian Optimization or Random Search.

## Usage

```
audrex(
  data,
  n_sample = 10,
  n_search = 5,
  smoother = FALSE,
  seq_len = NULL,
  diff_threshold = 0.001,
  booster = "gbtree",
  norm = NULL,
  n_dim = NULL,
  ci = 0.8,
  min_set = 30,
  max_depth = NULL,
  eta = NULL,
  gamma = NULL,
  min_child_weight = NULL,
  subsample = NULL,
  colsample_bytree = NULL,
  lambda = NULL,
  alpha = NULL,
  n_windows = 3,
  patience = 0.1,
  nrounds = 100,
  dates = NULL,
  acq = "ucb",
  kappa = 2.576,
  eps = 0,
```

```

kernel = list(type = "exponential", power = 2),
seed = 42
)

```

### Arguments

data	A data frame with time features on columns.
n_sample	Positive integer. Number of samples for the Bayesian Optimization. Default: 10.
n_search	Positive integer. Number of search steps for the Bayesian Optimization. When the parameter is set to 0, optimization is shifted to Random Search. Default: 5,
smoother	Logical. Perform optimal smoothing using standard loess. Default: FALSE
seq_len	Positive integer. Number of time-steps to be predicted. Default: NULL (automatic selection)
diff_threshold	Positive numeric. Minimum F-test threshold for differentiating each time feature (keep it low). Default: 0.001.
booster	String. Optimization methods available are: "gbtree", "gblinear". Default: "gbtree".
norm	Logical. Boolean flag to apply Yeo-Johnson normalization. Default: NULL (automatic selection from random search or bayesian search).
n_dim	Positive integer. Projection of time features in a lower dimensional space with n_dim features. The default value (NULL) sets automatically the values in c(1, n features).
ci	Confidence interval. Default: 0.8.
min_set	Positive integer. Minimum number for validation set in case of automatic resize of past dimension. Default: 30.
max_depth	Positive integer. Look to xgboost documentation for description. A vector with one or two positive integer for the search boundaries. The default value (NULL) sets automatically the values in c(1, 8).
eta	Positive numeric. Look to xgboost documentation for description. A vector with one or two positive numeric between (0, 1] for the search boundaries. The default value (NULL) sets automatically the values in c(0, 1).
gamma	Positive numeric. Look to xgboost documentation for description. A vector with one or two positive numeric for the search boundaries. The default value (NULL) sets automatically the values in c(0, 100).
min_child_weight	Positive numeric. Look to xgboost documentation for description. A vector with one or two positive numeric for the search boundaries. The default value (NULL) sets automatically the values in c(0, 100).
subsample	Positive numeric. Look to xgboost documentation for description. A vector with one or two positive numeric between (0, 1] for the search boundaries. The default value (NULL) sets automatically the values in c(0, 1).

colsample_bytree	Positive numeric. Look to xgboost documentation for description. A vector with one or two positive numeric between (0, 1] for the search boundaries. The default value (NULL) sets automatically the values in c(0, 1).
lambda	Positive numeric. Look to xgboost documentation for description. A vector with one or two positive numeric for the search boundaries. The default value (NULL) sets automatically the values in c(0, 100).
alpha	Positive numeric. Look to xgboost documentation for description. A vector with one or two positive numeric for the search boundaries. The default value (NULL) sets automatically the values in c(0, 100).
n_windows	Positive integer. Number of (expanding) windows for cross-validation. Default: 3.
patience	Positive numeric. Percentage of waiting rounds without improvement before xgboost stops. Default: 0.1
nrounds	Positive numeric. Number of round for the extreme boosting machine. Look to xgboost for description. Default: 100.
dates	Date. Vector of dates for the time series. Default: NULL (progressive numbers).
acq	String. Parameter for Bayesian Optimization. For reference see rBayesianOptimization documentation. Default: "ucb".
kappa	Positive numeric. Parameter for Bayesian Optimization. For reference see rBayesianOptimization documentation. Default: 2.576.
eps	Positive numeric. Parameter for Bayesian Optimization. For reference see rBayesianOptimization documentation. Default: 0.
kernel	List. Parameter for Bayesian Optimization. For reference see rBayesianOptimization documentation. Default: list(type = "exponential", power = 2).
seed	Random seed. Default: 42.

## Value

This function returns a list including:

- **history**: a table with the models from bayesian ( $n_{\text{sample}} + n_{\text{search}}$ ) or random search ( $n_{\text{sample}}$ ), their hyper-parameters and optimization metric, the weighted average rank
- **models**: a list with the details for each model in history
- **best\_model**: results for the best selected model according to the weighted average rank, including:
  - **predictions**: min, max, q25, q50, q75, quantile at selected ci, mean, sd, skewness and kurtosis for each time feature
  - **joint\_error**: max sequence error for the differentiated time features (max\_rmse, max\_mae, max\_mdae, max\_mape, max\_mase, max\_rae, max\_rse, max\_rrse, both for training and testing)
  - **serie\_errors**: sequence error for the differentiated time features averaged across testing windows (rmse, mae, mdae, mape, mase, rae, rse, rrse, both for training and testing)
  - **pred\_stats**: for each predicted time feature, IQR to range, divergence, risk ratio, upside probability, averaged across prediction time-points and at the terminal points

- plots: a plot for each predicted time feature with highlighted median and confidence intervals
- time\_log

**Author(s)**

Giancarlo Vercellino <giancarlo.vercellino@gmail.com>

**See Also**

Useful links:

- [https://rpubs.com/giancarlo\\_vercellino/audrex](https://rpubs.com/giancarlo_vercellino/audrex)

**Examples**

```
audrex(covid_in_europe[, 2:5], n_samp = 3, n_search = 2, seq_len = 10) ### BAYESIAN OPTIMIZATION
audrex(covid_in_europe[, 2:5], n_samp = 5, n_search = 0, seq_len = 10) ### RANDOM SEARCH
```

---

bitcoin\_gold\_oil      *bitcoin\_gold\_oil data set*

---

**Description**

A data frame with different time series (prices and volumes) for bitcoin, gold and oil.

A data frame with different time series (prices and volumes) for bitcoin, gold and oil.

**Usage**

```
bitcoin_gold_oil
```

```
bitcoin_gold_oil
```

**Format**

A data frame with 18 columns and 1827 rows.

A data frame with 18 columns and 1827 rows.

**Source**

Yahoo Finance

Yahoo Finance

---

climate\_anomalies      *climate\_anomalies data set*

---

**Description**

A data frame with different two time series on global mean temperature anomalies (GMTA) and global mean sea level (GMTA).

**Usage**

climate\_anomalies

**Format**

A data frame with 2 columns and 266 rows.

**Source**

Datahub.io, Climate-change collection

---

covid\_in\_europe      *covid\_in\_europe data set*

---

**Description**

A data frame with with daily and cumulative cases of Covid infections and deaths in Europe since March 2021.

A data frame with with daily and cumulative cases of Covid infections and deaths in Europe since March 2021.

**Usage**

covid\_in\_europe

covid\_in\_europe

**Format**

A data frame with 5 columns and 163 rows.

A data frame with 5 columns and 163 rows.

**Source**

[www.ecdc.europa.eu](http://www.ecdc.europa.eu)

[www.ecdc.europa.eu](http://www.ecdc.europa.eu)

---

engine

*support functions for audrex*

---

## Description

support functions for audrex

## Usage

```
engine(  
  predictors,  
  target,  
  booster,  
  max_depth,  
  eta,  
  gamma,  
  min_child_weight,  
  subsample,  
  colsample_bytree,  
  lambda,  
  alpha,  
  n_windows,  
  patience,  
  nrounds  
)
```

## Arguments

predictors	A data frame with predictors on columns.
target	A numeric vector with target variable.
booster	String. Optimization methods available are: "gbtree", "gblinear". Default: "gbtree".
max_depth	Positive integer. Look to xgboost documentation for description. A vector with one or two positive integer for the search boundaries. The default value (NULL) sets automatically the values in c(1, 8).
eta	Positive numeric. Look to xgboost documentation for description. A vector with one or two positive numeric between (0, 1] for the search boundaries. The default value (NULL) sets automatically the values in c(0, 1).
gamma	Positive numeric. Look to xgboost documentation for description. A vector with one or two positive numeric for the search boundaries. The default value (NULL) sets automatically the values in c(0, 100).
min_child_weight	Positive numeric. Look to xgboost documentation for description. A vector with one or two positive numeric for the search boundaries. The default value (NULL) sets automatically the values in c(0, 100).

subsample	Positive numeric. Look to xgboost documentation for description. A vector with one or two positive numeric between (0, 1] for the search boundaries. The default value (NULL) sets automatically the values in c(0, 1).
colsample_bytree	Positive numeric. Look to xgboost documentation for description. A vector with one or two positive numeric between (0, 1] for the search boundaries. The default value (NULL) sets automatically the values in c(0, 1).
lambda	Positive numeric. Look to xgboost documentation for description. A vector with one or two positive numeric for the search boundaries. The default value (NULL) sets automatically the values in c(0, 100).
alpha	Positive numeric. Look to xgboost documentation for description. A vector with one or two positive numeric for the search boundaries. The default value (NULL) sets automatically the values in c(0, 100).
n_windows	Positive integer. Number of (expanding) windows for cross-validation. Default: 3.
patience	Positive numeric. Percentage of waiting rounds without improvement before xgboost stops. Default: 0.1
nrounds	Positive numeric. Number of round for the extreme boosting machine. Look to xgboost for description. Default: 100.

**Author(s)**

Giancarlo Vercellino <giancarlo.vercellino@gmail.com>



# Index

## \* datasets

- bitcoin\_gold\_oil, 5
- climate\_anomalies, 6
- covid\_in\_europe, 6

audrex, 2

audrex-package (audrex), 2

bitcoin\_gold\_oil, 5

climate\_anomalies, 6

covid\_in\_europe, 6

engine, 7